

PL-TR-96-2156

OBSERVATIONS OF T-PHASE ARRIVALS AT PT SUR AND WAKE ISLAND

Catherine de Groot-Hedlin
John Orcutt

University of California/San Diego
Scripps Institution of Oceanography
La Jolla, CA 92093

15 March 1996

Scientific Report No. 1

19961104 045

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DTIC QUALITY INSPECTED
DTIC QUALITY INSPECTED




DEPARTMENT OF ENERGY
Office of Non-Proliferation
and National Security
WASHINGTON, DC 20585



PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE MATERIEL COMMAND
HANSCOM AFB, MA 01731-3010

DISCLAIMER NOTICE




THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.


SPONSORED BY
Department of Energy
Office of Non-Proliferation and National Security

MONITORED BY
Phillips Laboratory
CONTRACT No. F19628-95-K-0011

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or U.S. Government.

This technical report has been reviewed and is approved for publication.


JAMES F. LEWKOWICZ
Contract Manager
Earth Sciences Division


JAMES F. LEWKOWICZ
Director
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IM, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 15 March 1996		3. REPORT TYPE AND DATES COVERED Scientific Report No. 1
4. TITLE AND SUBTITLE Observations of T-Phase Arrivals at Pt. Sur and Wake Island			5. FUNDING NUMBERS PE 69120H PR DENN TA GM WU AV Contract F19628-95-K-0011	
6. AUTHOR(S) Catherine deGroot-Hedlin John Orcutt				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California/San Diego Scripps Institution of Oceanography IGPP 0225 La Jolla, CA 92093			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory 29 Randolph Road Hanscom AFB, MA 01731-3010 Contract Manager: James Lewkowicz/GPE			10. SPONSORING/MONITORING AGENCY REPORT NUMBER PL-TR-96-2156	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) We have assembled a large suite of T-phase observations recorded on hydrophones located at Point Sur and Wake Island, in an attempt to understand how acoustic energy from underwater earthquakes is coupled to the sound channel and how the sound propagates from source to receiver. The events cover a wide range of locations in the North Pacific. We find that T-phases observable at Point Sur are generated only in a limited number of geographical regions, the Aleutian Islands and Kodiak Island regions, south of Japan, and the southern portion of the Kuril Islands region. Too few records have been assembled to date for Wake Island to discern any pattern in the locations of observable T-phases. A signal to noise (SNR) measure was determined for each event. We found that there was no clear pattern in the SNR vs. magnitude when all the events were examined together. We narrowed the region of study to a small cluster of events in the Andreof Island region of the Aleutian Island chain in order to eliminate variables such as source mechanism, transmission path, and event depth. For this limited data set, we found that the SNR as observed at Pt. Sur was more strongly dependent upon event magnitude, however, there was still a considerable degree of scatter. This scatter is probably due to near source effects, such as the slope of the seafloor in the region of the events.				
14. SUBJECT TERMS Hydroacoustic propagation T-phases Energy coupling			15. NUMBER OF PAGES 16	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT SAR	

CONTENTS

Introduction	1
Data Analysis	1
Conclusions	8

INTRODUCTION

The objective of our research is to analyze hydroacoustic signals from oceanic earthquakes recorded by hydrophones and hydrophone arrays, in order to understand the coupling of energy to the SOFAR channel and the propagation of acoustic energy from source to receiver. The generation of detectable hydroacoustic phases for any underwater event depends on a complicated combination of source effects, such as event magnitude and depth and source mechanism; near-source effects, such as the slope and depth of the land/ocean boundary near the source; and path effects, i.e. whether the event lies within a shadow zone for a particular receiver, and source to receiver distance. We plan to integrate theoretical predications of propagation effects with observed acoustic arrivals. Goals include determining the efficiency of coupling of acoustic energy from earthquake sources into the sound channel, and determining the effects of variations in bathymetry and temperature profiles along the travel path on the received signals. This requires the assembly of a suite of hydroacoustic array data from a large number of underwater seismic events, in order to obtain optimal azimuthal coverage from source to receiver, as well as a wide range of source depths and source parameters. In this report, we examine a suite of hydroacoustic data from the North Pacific as recorded by a hydrophone located near Point Sur, and discuss preliminary results from an analysis of T-phase signals recorded near Wake Island.

DATA ANALYSIS

We determined signal-to-noise ratios (SNRs) for a suite of 96 recordings at Point Sur and 35 recordings at Wake Island for events in the North Pacific. The recordings were obtained from the Center for Monitoring Research (CMR) for an 8-10 minute band about each expected T-phase arrival. Event parameters were obtained from the near-real-time Earthquake Bulletin, provided by the National Earthquake Information Service (NEIS). We used only events with location accuracies labelled A(good) or B (fair). In order to quantify signal strength, a signal-to-noise ratio (SNR) measure was determined for each recording as follows. Each trace was de-measured and filtered to 0.1 - 0.5 Hz since most of the T-phases are observable only at the lowest frequencies. For this filtered trace, the signal variance was determined over each 30 second band, with steps of 2 seconds between bands. The square root of the maximum variance divided by the minimum variance is taken as the signal-to-noise ratio. In general, signals were observable for events with calculated SNRs of greater than about 1.6 at Pt. Sur and approximately 1.3 at Wake Island. An example of the calculation of the SNR is shown in Figure 1.

In general, it was found that events were observed at Wake Island for a wider range of event locations than at Pt. Sur. We attribute this to the lower noise levels at Wake, although to date, we do not have calibration information for either hydrophone so we can't confirm this. Furthermore, T-phase arrivals tend to have longer duration at Wake than the corresponding arrivals at Pt. Sur. An example of this is shown in Figure 2, which compares low-pass filtered traces recorded at both Wake and Pt Sur from an event located near the Andreof Islands, in the Aleutian chain. The source-receiver distance is approximately 3900km at Wake and 4500km at Pt. Sur, yet the T-phase arrival is nearly twice as long at Wake as at Pt. Sur. This is probably due to bathymetric interaction along the propagation path, resulting in the scattering of the signal. Synthetic responses for the given travel path have yet to be computed to determine whether bathymetric interaction is the cause of the lengthening of the T-phase arrival. The differences in the recorded T-phases illustrates the difficulty in determining source mechanism solely from the traces.




Figure 1. The method of calculation of the SNR is shown here for a trace recorded at Pt. Sur. The de-meaned trace for the Aleution Island event of April 21, 1996 is shown in the top panel. The trace was filtered to 0.1 to 5 Hz, shown in the center panel. The SNR as a function of time is shown in the bottom panel. The method of calculation of the SNR is outlined in the text. The signal-to-noise ratio for this event was determined to be 5.1.




Figure 2. Low pass filtered recordings of T phases generated by an event near the Andreof islands. Note that the length of the T phase arrival at Wake is approximately twice that of Point Sur.




Figure 3. The sonogram for the Aleutian Island event of Figure 1.

Figure 3 shows a sonogram for the trace shown in the top panel of Figure 1 (recorded at Pt Sur). The sonogram confirms that the signal is most clearly observable at the lowest frequencies. At higher frequencies the signal is drowned out by the higher noise levels. For the larger SNR events, such as this one, T-phases are observable at frequencies up to 25-30 Hz.

The SNR ratios were calculated for each event within the suite and are shown as a function of geographic location below for observations at Pt. Sur only. The spatial patterns in the SNR indicates that T-phases observable at the Pt Sur hydrophone are generated in a limited number of geographical regions, the Aleutian Islands and Kodiak Island regions, south of Japan, and the southern portion of the Kuril Islands region.




Figure 4. The signal-to-noise ratios (SNR) for T-phases of 96 North Pacific events as recorded at the Pt. Sur hydrophone. All events of the North Pacific that have been examined are shown here, including a number of events for which no signal was observable. The symbol size is proportional to the SNR, which varies from 1 (no signal) to 8 (large signal).




Figure 5. SNR as a function of distance, event magnitude, and event depth.

In Figure 5, we show the SNRs as a function of each of distance, event magnitude, and event depth. No clear patterns are evident in any of these plots. The biggest surprise is in the plot of SNR vs event depth, in that one would not expect *any* T-phases to be observable for deep events. Instead, at least three events generate observable T-phases, all in the region south of Japan.




Figure 6. SNRs for the Andreof Island events.

In order to make more sense of the data, we confined our attention to a cluster of events in the Andreof Island region, within the Aleutian Island chain. The SNRs at Pt. Sur for 43 events to the south of the Aleutian Islands are shown in Figure 6 (events to the north of the Islands and thus in the shadow zone were not included). All but one of the events has a given depth between 28 and 33 km. Source mechanisms for all these effects should be the same, ie due to the subduction of the Pacific plate at the Aleutian trench. Thus, we have eliminated complications due to path effects, source mechanism, and event depth. Even at this small scale, a spatial pattern is evident in the SNRs. The events furthest to the east do not generate T-phases that are detectable at Point Sur.




Figure 7. Depth map of the Northeast Pacific showing Andreof Island event locations, including propagation paths for two of the events.

A depth map of the Northeast Pacific showing Andreof Island event locations and geodesic paths for two events is shown in Figure 7. Note that all travel paths follow virtually the same trajectory to Pt. Sur. The solid path is for a magnitude 5.1 event, with SNR of 5.1 at the receiver. The dotted path is for a 5.0 event slightly further to the east with an SNR of 1.4 at the receiver, ie the signal was not observable. In this case, the differences in seismic source to T-phase coupling must be due to near-source effects.




Figure 8 SNR vs magnitude for the Andreof Island events.

A plot of SNR vs magnitude for the Andreof Island events is shown in Figure 8. This plot indicates that larger T-phases are generated by larger events, as expected. However, there is still considerable scatter, possibly due to near-source effects, as mentioned above.

CONCLUSIONS AND FUTURE PLANS

Examination of a widely distributed set of suboceanic events indicates that T-phases are observable at Point Sur for only a limited number of geographical regions. When all these events are examined together, signal strength cannot be determined simply on the basis of event magnitude, depth, or source-receiver distance. Conversion of seismic energy into acoustic energy transmitted in the ocean waveguide is highly complicated, depending on source effects, near-source effects, and path effects. In order to isolate the effects of event magnitude and near-source bathymetry, we narrowed the study to a cluster of 43 events in the Andreof Island region. We found that the T-phase signal strength was more strongly dependent upon event magnitude. However, the scatter within the SNR/event magnitude relation is attributed to near-source bathymetry. More observations are necessary to confirm the conclusions made here. We have begun to examine data from the Wake Island hydrophone, available through CMR. Future plans include integrating land records with hydrophone records. In particular, we wish to examine T-phase arrivals at various island stations within the Pacific to improve coverage. We intend to numerically model coupling of seismic energy (i.e. sources below the ocean floor) into ocean acoustic energy.

DR. RALPH ALEWINE
NTPO
1901 N. MOORE STREET, SUITE 609
ARLINGTON, VA 22209

LT CMDR ROBIN L. ATKINS
N874/D
2000 NAVY PENTAGON, RM 5D580
WASHINGTON, DC 20350-2000

* ARTHUR BAGGEROER
MIT
ROOM 5-204
* CAMBRIDGE, MA 02139

RICHARD BARDZELL
ACIS
DCI/ACIS
WASHINGTON, DC 20505

GERALD S. BARTON
NOAA
1825 CONNECTICUT AVE. NW
WASHINGTON, DC 20235

RICHARD C. BECKMAN
SANDIA NATIONAL LABORATORY
DEPT. 5791
MS 0567, PO BOX 5800
ALBUQUERQUE, NM 87185-0567

ROBERT BLANFORD
AFTAC
1300 N. 17TH STREET
SUITE 1450
ARLINGTON, VA 22209-2308

STEVEN BRATT
NTPO
1901 N. MOORE STREET, SUITE 609
ARLINGTON, VA 22209

ERIC BREITFELLER
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-156
LIVERMORE, CA 94551

LESLIE A. CASEY
DOE
1000 INDEPENDENCE AVE. SW
NN-40
WASHINGTON, DC 20585-0420

ALBERT J. CHABAI
SANDIA NATIONAL LABORATORY
DEPT. 9311
MS 1159, PO BOX 5800
ALBUQUERQUE, NM 87185-1159

ERIC P. CHAEL
SANDIA NATIONAL LABORATORY
DEPT. 9311
MS 1159, PO BOX 5800
ALBUQUERQUE, NM 87185-1159

JOHN P. CLAASSEN
SANDIA NATIONAL LABORATORY
DEPT. 5736
MS 0655, PO BOX 5800
ALBUQUERQUE, NM 87185-0655

DOUG CLARKE
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-200
LIVERMORE, CA 94551

DENNIS M. CONLON
SPAWAR
PMW 1820C 2451 CRYSTAL DRIVE
ARLINGTON, VA 22245-5200

ROBERT H. CORBELL
SANDIA NATIONAL LABORATORY
DEPT. 5736
MS 0655, PO BOX 5800
ALBUQUERQUE, NM 87185-0655

* CWO LESLIE CRAIG
OSIA
300 W. SERVICE ROAD, DULLES
* PO BOX 17498
WASHINGTON, DC 20041-0498

RON CUMMINGS
C & A
3941 SOUTH BRISTOL STREET
SUITE 317
SANTA ANA, CA 92704

MARVIN D. DANNY
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-205
LIVERMORE, CA 94551

DR. STANLEY DICKINSON
AFOSR
110 DUNCAN AVENUE
SUITE B115
BOLLING AFB, WASHINGTON D.C. 20332-001

SEAN DORAN
ACIS
DCI/ACIS
WASHINGTON , DC 20505

GERALD DISPAIN
SCRIPPS INST. OF OCEANOGRAPHY
291 ROSECRANS
SAN DIEGO, CA 92106

MICHAEL W. EDENBURN
SANDIA NATIONAL LABORATORY
DEPT. 4115
MS 0329, PO BOX 5800
ALBUQUERQUE, NM 87185-0329

JOHN FILSON
ACIS/TMG/NTT
ROOM 6T11 NHB
WASHINGTON, DC 20505

GEORGE V. FISK
WOODS HOLE
APPLIED OCEAN PHYSICS &ENGINEERING
BIGELOW 107B
WOODS HOLE, MA 02543

FREDERICK E. FOLLOWILL
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-208
LIVERMORE, CA 94551

CHRIS FOX
NOAA
2115 SE OSU DRIVE
NEWPORT, OR 97364

RADM (RET) THOMAS FOX
PACIFIC NORTHWEST NATIONAL LABORATORY
PO BOX 999, MS K6-48
RICHLAND, WA 99352

CDR MARTHA GILLETTE
N514F
2000 NAVY PENTAGON, RM 4D563

DAN N. HAGEDORN
PACIFIC NORTHWEST NATIONAL LABORATORY
PO BOX 999, MS K7-34
RICHLAND, WA 99352

RICHARD C. HANLEN
PACIFIC NORTHWEST NATIONAL LABORATORY
PO BOX 999, MS K6-40
RICHLAND, WA 99352

WILLARD J. HANNON JR.
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-205
LIVERMORE, CA 94551

DAVID B. HARRIS
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-205
LIVERMORE, CA 94551

TERRI HAUKE
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-205
LIVERMORE, CA 94551

PRESTON B. HERRINGTON
SANDIA NATIONAL LABORATORY
DEPT. 5736
MS 0655, PO BOX 5800
ALBUQUERQUE, NM 87185-0655

LARRY HIMES
HQ/AFTAC/TTR
1030 S. HIGHWAY A1A
PATRICK AFB, FL 32925-3002

W. MARK HODGSON
LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663 MS D460
LOS ALAMOS, NM 87545

KATHARINE KADINSKY-CADE
PL/GPE
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731

SHAWN LARSEN
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-208
LIVERMORE, CA 94551

JAMES F. LEWKOWICZ
PL/GPE
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731

LESTER MACHTON
NOAA
1825 CONNECTICUT AVE. NW
WASHINGTON, DC 20235

ED MCDONALD
NRL
4555 OVERLOOK AVE. SW
WASHINGTON, DC 20375-5350

• ED NAWROCKI
OSD
OSD/ISP/NSS
• WASHINGTON, DC 20301-2600

LARRY NG
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-285
LIVERMORE, CA 94551

WESLEY L. NICHOLSON
PACIFIC NORTHWEST NATIONAL LABORATORY
PO BOX 999, MS K6-40
RICHLAND, WA 99352

CLYDE E. NISHIMURA
NRL
4555 OVERLOOK AVE. SW
WASHINGTON
DC, 20375-5350

MARSHALL H. ORR
NRL
4555 OVERLOOK AVE. SW
WASHINGTON
DC, 20375-5350

GREG ORRIS
NRL
4555 OVERLOOK AVE. SW
WASHINGTON
DC, 20375-5350

DR. FRANK PILOTTE
HQ/AFTAC/TT
1030 S. HIGHWAY A1A
PATRICK AFB, FL 32925-3002

DOUGLAS REVELLE
LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663, MS F665
LOS ALAMOS, NM 87545

MARK E. RICHARDS
DOE
1000 INDEPENDENCE AVE. SW
NN-20
WASHINGTON, DC 20585-0420

JUDY SCHROEDER
OSIA
300 W. SERVICE ROAD, DULLES
PO BOX 17498
WASHINGTON, DC 20041-0498

RICH SCHULT
HQ/AFTAC/TTR
1030 S. HIGHWAY A1A
PATRICK AFB, FL 32925-3002

DAVID J. SIMONS
LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663, MS D460
LOS ALAMOS, NM 87545

JOHN SPIESBERGER
PENN STATE
512 WALKER BLDG.
UNIVERSITY PARK, PA 16802

ROBERT SPINDEL
UNIVERSITY OF WASHINGTON
1013 NE 40TH STREET
SEATTLE, WA 98105-6698

BRIAN W. STUMP
• LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663, MS C335
LOS ALAMOS, NM 87545

STEVEN R. TAYLOR
LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663, MS C335
LOS ALAMOS, NM 87545

LAWRENCE TROST
SANDIA NATIONAL LABORATORY
DEPT. 4115
MS 00329, PO BOX 5800
ALBUQUERQUE, NM 87185-0329

LAWRENCE TURNBULL
ACIS
DCI/ACIS
WASHINGTON, DC 20505

LARRY S. WALKER
SANDIA NATIONAL LABORATORY
DEPT. 5704
MS 0979, PO BOX 5800
ALBUQUERQUE, NM 87185-0979

JOHN W. WHITE
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-200
LIVERMORE, CA 94551

JOHN ZUCCA
LAWRENCE LIVERMORE NATIONAL LABORATORY
PO BOX 808, MS L-205
LIVERMORE, CA 94551

DEFENSE TECHNICAL INFORMATION CENTER
8725 JOHN J. KINGMAN ROAD
FT BELVOIR, VA 22060-6218 (2 COPIES)

PHILLIPS LABORATORY
ATTN: XPG
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY
ATTN: TSML
5 WRIGHT STREET
HANSCOM AFB, MA 01731-3004

THOMAS A. WEAVER
LOS ALAMOS NATIONAL LABORATORY
PO BOX 1663 MS C335
LOS ALAMOS, NM 87545

CAPT. HAROLD WILLIAMS
SPAWAR
PD-80, 2451 CRYSTAL DRIVE
ARLINGTON, VA 22245-5200

OFFICE OF THE SECRETARY OF DEFENSE
DDR&E
WASHINGTON, DC 20330

TACTEC
BATTELLE MEMORIAL INSTITUTE
505 KING AVENUE
COLUMBUS, OH 43201 (FINAL REPORT)

PHILLIPS LABORATORY
ATTN: GPE
29 RANDOLPH ROAD
HANSCOM AFB, MA 01731-3010

PHILLIPS LABORATORY
ATTN: PL/SUL
3550 ABERDEEN AVE SE
KIRTLAND, NM 87117-5776 (2 COPIES)